

212/369

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER
JUL 31 2006

In re Application of:

Sherman, et al.

Serial No.: 10/806,840

Art Unit: 3764

Filed: March 22, 2004

For: Modular CPR Assist
Device

Examiner: DeMille, Danton D.

PAYMENT OF ADDITIONAL FEES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

The amendments in the attached Response to Office Action add 1 additional independent claim in excess of those previously paid for. An additional claim fee of \$200 is due (37 CFR 1.16(b)).

A terminal disclaimer fees of \$520 are due and have already been paid. (37 CFR 1.17(d)).

☒ The Commissioner is hereby authorized to charge payment of the fees associated with this communication, any deficiency in the fee paid, per the attached credit card authorization.

Date: July 31, 2006 By:



Marc J. Frechette, Esq.
Reg. No. 49060

Docket No. 212/369

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

JUL 31 2006

In re Application of:

Sherman, et al.

Serial No.: 10/806,840

Art Unit: 3764

Filed: March 22, 2004

For: Modular CPR Assist
Device

Examiner: DeMille, Danton D.

FACSIMILE COVER SHEET

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Fax 571 273 8300

Sir:

Faxed with this transmittal sheet please find the following correspondence for this application:

- ☒ Response to Office Action [9] pages
- ☐ Petition for extension of time
- ☒ Other: Terminal Disclaimers (4) & RCE

Please acknowledge receipt of these application papers by affixing the Patent and Trademark Office Stamp to this sheet and returning this sheet to our office via fax at 949 588 6172.

Date: July 31, 2006

Marc J. Frechette, Esq., 49060
Crockett & Crockett
24012 Calle De La Plata, Suite 400
Laguna Hills, CA 92653
Tel: 949 588 6171
Fax: 949 588 6172

* The information contained in this transmission is of a confidential nature and intended only for the use of the entity to whom it is addressed. If you have received this transmission in error, please notify us immediately and return the original transmission to us.

Thank you.
